

Sub D1  
C1  
~~wherein the photoprinter comprises a printing device capable of processing and printing digital photographs, acquired by a digital camera, independent of an external host device.~~

--11. (Amended) ~~A printer configuration, comprising:~~

- Sub D1  
C2
- a) a computer having a plurality of digital photographs on a computer readable medium; and
  - b) a photoprinter communicating with the computer via a communication link, the photoprinter having means for accessing the digital photographs,

wherein the photoprinter comprises a printing device capable of processing and printing digital photographs, acquired by a digital camera, independent of an external host device.--

--12. A method for accessing digital photographs on a computer, the method comprising the steps of:

- a) establishing a communication link between a photoprinter and the computer;
- b) receiving a request at the photoprinter from a user; and
- c) accessing the digital photographs with the photoprinter in response to the request

wherein the photoprinter comprises a printing device capable of processing and printing digital photographs, acquired by a digital camera, independent of an external host device.

Sub D1  
C3  
~~--15. (Amended) A method for diagnosing a stand-alone printer, the method comprising the steps of:~~

- a) establishing a communication link between the stand-alone printer and a computer;
- b) receiving instructions from the computer at the stand-alone printer via the communication link; and

Sub D1  
C3  
c) ~~diagnosing one or more functions of the stand-alone printer in accordance with the received instructions,~~  
~~wherein the stand-alone printer is capable of processing and printing digital files, acquired by an external device, independent of an external host device.--~~

Please add the following new claims:

Sub D1  
C4  
~~--20. (New) The method of claim 15, further comprising presenting a menu on a display of the stand-alone printer, wherein the one or more functions are diagnosed after a diagnostic mode is chosen from the menu.--~~

--21. (New) The method of claim 15, wherein the computer does not process the digital files.--

--22. (New) The method of claim 15, wherein the step of diagnosing one or more functions comprises interacting with a user of the stand-alone printer to determine if the one or more functions performs correctly.--

--23. (New) The method of claim 22, wherein the step of interacting with a user further comprises displaying on a display of the stand-alone printer a suggestion for fixing a problem diagnosed with respect to the one or more functions.--

--24. (New) The method of claim 15, wherein the stand-alone printer is incapable of diagnosing the one or more functions without receiving the instructions.--

~~25. (New) The method of claim 15, wherein the computer is capable of:~~

- ED  
DL
- a) writing to a display of the stand-alone printer;
  - b) reading an input from a selection mechanism of the stand-alone printer,  
wherein a user provides the input in response to the display;
  - c) reading memory associated with the stand-alone printer; and
  - d) sending data to a print controller of the stand-alone printer.--
-